

9/84

LONG ISLAND SINCLAIR TIMEX GROUP

L.I.S.T.ING

LIST
10 Idle Day Drive
Centerport, N.Y. 11721

MEETING NOTES 8/26/84

I. Officers were elected and committee assignments made (by volunteers). They are:

- a) President: Heinz Hanken
- b) Sec'y Treas: Paul Donnelly
- c) Library Staff:
 - 1) Operation: Chuck R.
 - 2) Documentation:
 - Games: Morton J.
 - Utilities: Rich B.
- d) Mailing/membership data base: Bob M.
- e) Newsletter: Paul D.

II. NEXT MEETING

Will be on Sunday, September 30th at 2PM. Location: 16 Cold Spring Hills Rd, Huntington, (11743).
Call 516-692-7168 (Morty) or 2616934 for directions.

III. NEW BUSINESS

a) News Items

- 1) 47th St. photo has raised the 2068 price to \$120.00
- 2) Brooklyn Closeouts has them for \$99.00
- 3) Aerco's 2068 Disk interface is still 6 weeks away.
- 4) Rich B. says Tom Woods has seen a copy of a 390 page TS 2068 ROM disassembly.

b) Rumors.....

Still persist that Dave Higgenbottom will market Timex products under another name. We have no confirmation of this (see Syntax).

c) Newsletter Policy

- The result of a series of voice votes has established our newsletter policy. Specifically;
- 1) Requests for information providing an SASE, will receive 1 copy of the current newsletter, at once. Further requests will not be honored from the same individual.
 - 2) Requests not providing a SASE will be held for reply by the corresponding secretary or another officer. While we are non-profit, we would also like to be "non-loss" and cannot afford extensive free mailing. It was decided however, that in the public interest, a copy of a newsletter (probably an excess and/or obsolete issue) would be sent to such inquiries.
 - 3) The individual newsletter price to non-members will be \$1.00, plus postage
 - 4) Requests from bona fide user groups will be honored as long as newsletter exchange continues (we currently correspond with 4 groups).
 - 5) Members who join during the current club year, will pay full dues: \$12.00, and receive all back issues to the beginning of the club year (February to January). A member joining in September '84, then, would receive seven back issues as well as issues for September '84 through January '85.
 - 6) Advertising It was decided that LISTing will accept paid advertising if asked. We will not solicit ads. Any funds obtained in this way will be kept separate from the general fund and their use will be voted upon separately.
 - 7) September Issue This issue will be a double issue, by popular demand. Treasury funds should be sufficient to cover this one extra issue.

d) Library Tape

- a) A Round Robin scheme for access to the library tape by out-of-state members was proposed and is in the trial phase. Mailing costs will be the major problem. It costs about \$1.00 to mail the tapes one-way - this money must somehow be recovered. Non-attending members must currently mail in their cassette \$1.50 to cover postage and handling in order to obtain the Library tape.
- b) Documentation for the library tape is non-existent. While many of the programs have been provided in previous issues of LISTing, some explanation should accompany the tape. Rich B. and Morty will work on documentation package.
- c) Duplication - Chuck R. will make several copies of the Library Tapes prior to the next meeting. The group has purchased blank tapes and these will be used and then exchanged with members at the next meeting. Bring a blank tape if you wish a copy.
- e) Demonstration
 - 1) Paul D. demoed his "Spectrum" (a 2068 with a Spectrum ROM installed) and Doug Dewey's Emulator. Both allow use of Spectrum Software (both BASIC and MC). So far, all packages tried have run. We suspect that there can be incompatibility and so will continue to test programs (see listing inside for what works, so far).
 - 2) Bob G. brought in his Hartanex RGB Monitor. Bob used a very simple adapter to get the RGB and composite signals to the monitor. Colors and resolution (SMZ) were astounding. Bob showed us some other slick hardware projects he's developed for the 1000 and 2068 and these will be documented in upcoming issues.
- f) Jeff S. demoed his "Ultimate Word" 64 column word processor, currently under first development. An outstanding example of the TS 2068's capabilities, it produces true 64 column text on the screen, but can also display in several 32 column modes for ease of use on TV's.
- g) Nazir B. showed us the final draft of his ROM cross-reference directory. He has cross-referenced all the major entry points for the TS and Spectrum ROM! His articles should start appearing in Syntax soon, as well as being serialized in LISTing.
- h) Requests for Beginners / BASIC classes were made. No one volunteered to teach, at the meeting, but several members approached me afterwards to say they'd like to try. Let's have some volunteers and work out a syllabus next time!
- i) A letter was written to Herma in Germany looking for pressure sensitive thermal labels.

*Containing a program or two, we hope!

INDEX TO ISSUE 9/84	
SUBJECT	PAGE
I. Meeting Notes (Aug 26th)	1
II. Software Reviews	
A) Word - BASIC - P. Donnelly	2
B) Kon - Arcade TS1000 P. Donnelly	3
III. Spectrum "upgrade" - P. Donnelly	4
IV. EMU-1 Emulator - P. Donnelly	6
V. Astronomy Program - Precession - R. Howard	7
VI. Piano 2068 - Nazir Pashtoon	2
VII. Misc.	
A) Catalogs Received	6
B) Our Policy	6
C) VU-30	10
D) News Flash	5
VIII. Member List (Sent to members only)	Attached
IX. Hardware Special - R. Gilder	8

PI

Copyright N.A. Pashloon, 1984

The GI 8912 integrated circuit, a powerful sound making chip, is utilized in the TS2068 in conjunction with the SOUND command. The GI chip can provide 3 channels of sound as well as three noise channels simultaneously. The pitch, envelope, attack and decay time, and duration of the waveform can all be brought under program control. It is worth mentioning that even though the chip is capable of a plethora of sounds it does not have the versatility of say, the Commodore sound-making chip used in the Commodore 64, which provides for program controlled filtering of the sound channels. Thus the TS2068 cannot be used as a true sound synthesizer.

In the program that follows, an attempt is made to create a piano-like sound with a 3 octave range. The TS2068 is capable of generating polyphonic sound, but in this program only Channel A of the sound generator is utilized. I am hoping to develop a more versatile program in the future.

PROGRAM NOTES:

Lines 10-300: The white and black keys of the piano are plotted on the screen. Each piano key is identified with the QWERTY keys on the keyboard. LINE 610: The string variable k\$ is identified as the string of keys which will be used for the piano keyboard.

LINE 600, and 620-640: The dimensioned variable b() is used to redefine the "character set". The character set in this case is none but the pitch values given on p.187 of TS2068 Manual. These pitch tables for the various octaves are given in the DATA statements in LINES 1000-1400.

LINE 760, 900-980: activates the lower octave.

LINE 765, 800-880: activates the middle and upper octave.

Finally the variables F and z are flags to differentiate between octaves.

```

1 REM "ELEM-PIANO" 3 octave
20 FOR X=3 TO 252
30 PLOT X,10: PLOT X,100: NEXT
X
30 FOR X=3 TO 250 STEP 25
40 FOR Y=10 TO 100
50 PLOT X,Y
60 NEXT Y: NEXT X
70 LET N=0
80 FOR X=25 TO 225 STEP 25
90 LET N=N+1
90 IF N=3 OR N=7 THEN GO TO 130
100 FOR Y=40 TO 100 STEP 1
105 FOR E=1 TO 12
110 PLOT X-8+2,Y
115 NEXT E
120 NEXT Y
130 NEXT X
140 FOR X=0 TO 9
150 LET K$="QWERTYUIOP"
160 PRINT AT 19,X*3+2;K$(X+1)
170 NEXT X
180 LET K$="2356790"
190 PRINT AT 14,3; BRIGHT 1; IN
VERSE 1;K$(1);AT 14,6;K$(2);AT 1
4,13;K$(3);AT 14,16;K$(4);AT 14,
19;K$(5);AT 14,22;K$(6);AT 14,25
;K$(7); INVERSE 0; BRIGHT 0
200 PRINT AT 0,1; "For lower oct
ave press";AT 3,27; BRIGHT 1;"A"
; BRIGHT 0;AT 5,1; "For middle oc
tave press"; BRIGHT 1;AT 5,28;"S"
; BRIGHT 0;AT 7,1; "For higher o
ctave press"; BRIGHT 1;AT 7,29;"D"
; BRIGHT 0
500 REM MUSIC MAKER
510 RESTORE 1200
520 LET F=0
530 DIM b(255)
540 LET K$="qzw3er5t6y7ui9o0p"
550 FOR I=1 TO 17
560 READ b(CODE K$(I)+1)
570 NEXT I
580 LET K=CODE INKEY$+1
590 IF INKEY$="a" OR INKEY$="A"
THEN RESTORE 1000: LET F=1: GO
TO 620
600 IF INKEY$="s" OR INKEY$="S"
THEN RESTORE 1200: LET F=0: GO
TO 620
610 IF INKEY$="d" OR INKEY$="D"
THEN RESTORE 1400: LET F=0: GO
TO 620
620 IF b(k) AND F=1 THEN GO TO
900
630 IF b(k) THEN GO TO 800
640 GO TO 650
650 REM
660 SOUND 0,b(k);1,0;8,31;11,16
;12,35;13,8;7,55
670 PAUSE 120
680 SOUND 0,0;7,63
690 GO TO 650
700 LET Z=0
710 IF b(k)<164 THEN LET Z=1
720 SOUND 0,b(k);1,Z;8,31;11,16
;12,35;13,8;7,55
730 PAUSE 120
740 SOUND 0,0;7,63
750 GO TO 650
1000 DATA 162,138,118,95,75,57,3
9,23,7,248,234,221,209,197,186,1
75,165
1200 DATA 209,197,186,175,165,15
6,147,139,131,124,117,110,104,98
,93,87,82
1400 DATA 104,95,93,87,82,78,73,
69,65,62,58,55,52,49,46,43,41

```

LIST GROUP

Word - 2068

This article is being written on "Word", a simple word processing program from C. Choo. "Word" is written entirely in BASIC, yet still has reasonable typing speed. Editing facilities are bare bones, but appear adequate for the generation of letters, notes, and short articles like this one.

The command structure of "Word" is spartan, and consists of the following:

ded: creates a file
list: lprints it
edit: allows editing
save: saves to tape
load: loads a tape
look: looks at the file

There is no provision for such desirable features as block moves, deletes or inserts (which I need right now to complete the list of commands (with d: instructions)). Also missing are search capabilities, i.e. looking for a particular string in the text, and the ability to format the output to the printer.

You are limited to the 32 column width of the TV and 2040 printer, by the design of "Word". Also, there is no end-of-line warning, to tell you when you'll need to hyphenate a word. This means you must constantly be watching the screen to see where you are in a word. Touch typists may be able to live with the somewhat slow (BASIC) response of the keyboard, but would find this last a real bother.

Now, with all the "bad" features of "Word" out of the way, let's look at its good side. No. 1, "Word" is very inexpensive—a kind word, a blank cassette, and a few dollars to cover expenses will probably get you a copy. "Word" is editing facilities are just like BASIC, including the ability to use the cursor keys, and DELETE (though you can't change the total length of a line). This means you probably can operate "Word" right away, and don't need to learn a whole new word processing language. And third, and perhaps most important, the BASIC is robust as well as user program-mable. I made some serious mistakes about two paragraphs above, but was able to recover from them easily, from BASIC, and without loss of text.

Despite its limitations, "Word" may be all you need if your text is simple, your needs infrequent, and your budget tight. There was no documentation with my review copy, so I don't know how much text you can enter. This article is on its fifth "page" or screen, now, and there seems to be lots of memory left. In fact, I'll exit to BASIC right now, and see what FREE returns...

I get FREE=23031, not bad. Note line 0035 in the program DIMS the text at 5120, though you could probably change that if you like. "Word", and in particular its ease of use and cursor editing, are impressive achievements in BASIC programming.

P. Donnelly
10 Idle Day
Centerport,
NY 11721

You can find a listing of Word in the May '84 issue of P.C. WORLD magazine.

**That's eight pages to start.

Of course, you can't edit the string w/o "Word", but it's a quick way to retrieve the text.

Who, but there, can use the 2068 STRING routines to do searches?

```

100 REM GO TO 100
110 DIM TS(5120)
120 LOAD "DATA TS"
130 PRINT TS
140 STOP
150 PRINT "
P.S.

```

This short program is all you need to re-enter your string for printing. You need LOAD only the text string TS and LPRINT it.

400 PRINT "Don't forget to skip line 35 after the first run."

SOFTWARE REVIEW

PROGRAM: CITY OF XON
TYPE: ARCADE
ROM/RAM: 8K/16K
WRITTEN IN: MC
LISTABLE: YES
FROM: PLEASANTREES PROGRAMMING
7760 N. HOPDOWN AVENUE
TUCSON, AZ 85741
PRICE: \$17.95 (check)

Z I S T GROUP

If you're looking for an outstanding display of 3D Hi-Res graphics, then XON, Pleasantrees version of ZAXXON, should be a treat for you. On the other hand, as an exiting arcade game, XON would have trouble competing with "PONG".

Pleasantrees Programming wrote a book on graphics (A to Z) which does a creditable job and the XON program illustrates 3D scrolling graphics discussed in the book as only Machine Code programs can do it.

After a brief BASIC randomize routine, you are presented instantly, at finger touch, with a rules screen. This tells you that the keys A,S,D,F,G control such functions as shields, disruptors, phasors and a grappling hook. The arrow keys control your motion up, down, left and right. Two more button pushes and the game is under way.

Your game screen consists of fuel, elapsed time, points and status message windows at the edges of the screen and the action scenario in the center. An excellent representation of Xonian landscape passes from upper right to lower left of your screen, simulating 3-D motion along a virtual "Z" axis. Your ship, and its "shadow" on the ground, starts at the far left side of the screen and you control its movement up, down and "in" and "out" of the screen in small increments as the landscape speeds below. Your goal is to destroy as much Xonian real estate as possible, without getting destroyed yourself and to eventually (it takes as much as 30 minutes) grapple for Xon himself.

The scrolling landscape is a fine graphics job. You are warned on your sensor screen which obstacle will be coming up next e.g., "Nearing Castle Keep" and shortly thereafter the object scrolls onto the screen from the right. There are at least 10 physical obstacles (including: Photon Batteries, Missile Silos, Robot factories, etc.) and some non-physical ones (intense radiation fields). Flying over this landscape is interesting for a while, but you soon learn that not only do the laws of physics apply loosely on XON, the laws of arcadia apply hardly at all.

We've discovered that your phasors do just as much damage as your more power hungry (by a factor of 3) disruptors. Also, while some of Xonian artillery shoots back, none of it can hit you. By a similar token, you need not "hit" a target (which doesn't blow up anyway), but must simply press the fire button to accumulate points. Grappling for fuel tanks has only worked once, we think, in hours of play; and grappling for Xon is impossible. This is the most frustrating part of the game as you must play for 2 Xonian hours with only one ship, (between 20 and 30 minutes) before you can meet Xon. Once you approach Xon's lair you get only one chance to grab him. In fact, we couldn't even figure out which object was Xon.

Documentation is poor, consisting of one reduced size typed page, and the anti-record tabs were not broken off my copy. If you have or order "Xon", be sure to break these off as soon as you get it (and any commercial software) to prevent accidental erasure.

On the good side, Pleasantrees has provided pokeable memory locations, values and USR calls which let you change the high score level, see the "Victory" accolade (perhaps the only way you ever will) and practice the grappling sequence. And of course, the graphics, as graphics, are first class. Pleasantrees has also supplied a number of very nice consolation prizes to patient waiters, including for example, a copy of a "Boggle" type game on the back of the Xon tape.

The bottom line however, is that even after waiting about 11 months, I have not recieved a "finished" copy of Xon. While Xon gets a 10 for graphics I can only give it a 2 for arcade play and on overall rating of 5. If the game did all it should be able to do, it would deserve a score in the 9.5 range.

P.J. Donnelly
© copyright 1984

City of Xon


Story
Bill Xon and his forces are stationed on a spaceship orbiting the great valley of the mountains. Their mission is to speed out as many phasors as you can and ultimately (should you control) to capture Xon and bring him to justice. If you succeed and finally meet him face to face in battle you will have had one of the most exciting and gratifying moments. Only successful capture will allow you the chance to grapple.

Playing
The only real way to beat Xon is to gain a score of over 300,000 and to stay in the air successfully for at least 2-3000 Xonian hours. It is possible that for some time, you will find that using the right hand for the arrow keys and the left for the phasor keys is the easiest way to get used to. The ship naturally becomes better as time goes on, 4 phasors could be used but generally have two names. Unless you want to win the game in a relatively short time you must use the phasor keys to hit, and keep from flying into structures. Good luck!

Technical
The only real way to beat Xon is to gain a score of over 300,000 and to stay in the air successfully for at least 2-3000 Xonian hours. It is possible that for some time, you will find that using the right hand for the arrow keys and the left for the phasor keys is the easiest way to get used to. The ship naturally becomes better as time goes on, 4 phasors could be used but generally have two names. Unless you want to win the game in a relatively short time you must use the phasor keys to hit, and keep from flying into structures. Good luck!

To see the landscape: (see this in shooting!)
Hit the phasor, wait for "X" in the rules screen.
Now try 1000 1796.
To change the score (XON) and time (XON) status:
Go to address 1000 (score) and 1001 (time).
Hit 1000 1001. (see this in shooting!)
Now try 1000 1796.
To see the landscape: (see this in shooting!)
Hit the phasor, wait for "X" in the rules screen.
Now try 1000 1796.

P.S. - If you like this game or need up to 1000 Xonian hours for making it even better - would like to hear from you.



Useful peeks and pokes

You might like to pass these useful tips on to other members:

10 PRINT ((PEEK 23732 + 256*PEEK 23733) + 1)/1024 - 16 prints the memory size of your Spectrum.

LET I = 7997 - USR 7997 gives a reaction time in fiftieths of a second, i.e. the time it took you to press a key. PRINT I gives the result.

LET a = USR 1278 provides a loading pattern; you can use the following numbers - 1248, 1276, 1301, 1488, 1314 etc.

Vince Kelly
(Bootle, Lancs)

CONVERTING YOUR 2068 TO A SPECTRUM

Doug Dewey's EMU-1 is a convenient and effective way to achieve Spectrum emulation on your TS 2068. It has the distinct advantage of not requiring you to open up your machine and go mucking about inside. There are however, two other ways to provide Spectrum capabilities on your 2068.

The first, and least expensive, method is to replace your Timex ROM with a Spectrum ROM. These cost under \$20.00 (see my ad) and installation is as follows:

1. Disconnect your computer from everything and clear a work space for your labors. Remember to ground yourself well to prevent static electricity from damaging your machine.
2. Turn your 2068 belly-up and loosen the seven Philips head screws (3 large and 4 small).
3. Carefully, holding the sides of the case together, turn the machine back upright. The screws will fall out, if you haven't removed them, so make sure they don't get lost.
4. Place the machine on the table and slowly lift the top cover from the front. There is only one connection between the top (Keyboard) and bottom (circuit board) and that is the keyboard's flat cable. This cable is more durable than the ZX81 version, but is still easily damaged. You can now either prop up the top of the case, or better yet, carefully and slowly pull the flat cable out of its socket. Try to pull it out evenly by grasping it at either side using both hands (while the backs of your hands hold up the top case).
5. With the top removed, look for U16, the 16K ROM. We can ignore the other 8K chip (U20) as it is simply not used by the Spectrum. Using a IC extractor, remove U16. If you don't have an IC extractor, a screwdriver with a large flat, but thin blade and thin shank can be used. Place the tip of the driver between one end of the chip and its socket and twist slightly. When one end of the chip starts to move, go to the other end and repeat the operation. Keep doing this, a little at a time, until the chip is out. Place the chip in the back of the plastic foam pad in which your new Spectrum ROM is still sitting. (This is antistatic foam).
6. Make sure the pins on your new ROM are straight and then insert the chip, starting with one row and then the other into the socket. If the pins seem too wide apart, place the chip on its side on the table and gently roll it into the pins on one side, this should close up the gap, on all pins, slightly. Make sure you put pin 1 of the ROM where it belongs. Pin 1 is in the upper left hand corner of the chip. It is usually marked with a dot. Also the top of the chip will probably have a notch, as shown in the outline on the drawing.

WE HAVE SPECTRUM ROM'S

AVAILABLE TO LIST MEMBERS \$18.00,
NON-MEMBERS \$19.95. PRICE INCLUDES
POSTAGE AND PACKING. MAIL CHECK,
MO TO


LIST ASSOCIATES
10 IDLE DAY DRIVE
CENTERPORT, N.Y. 11721

7. Seat the ROM fully and then reassemble the case by reversing the above procedure.

8. Turn on your Spectrum and have fun!

Another hardware method is shown in SUM (Sinclair/Timex Users Magazine), August '84 issue. (SUM is at 3224 N.W. 30th Avenue, Gainesville, Fla. 32605). In the article, a description of a simple "double" ROM board and switch is provided. You mount both Timex and Spectrum ROMs on the board along with a few resistors and an external switch. Construction plans for the board were not included in my copy of the magazine, so you'll have to write to them for that. However the job is straight-forward and consists of mounting the two chips on a small p.c. board. A hole has to be drilled in the back of the case for your select switch, but otherwise, given that you've already assembled the board, installation is the same as for the Spectrum ROM alone (given above). The big advantage of this system is, of course, the fact that the choice of ROM is switch selectable. Cost of the board is unknown, but a kit of that size normally sells for about \$20.00 with all parts, but the ROM, (another \$20.00).

Both systems, when configured as Spectrums, should work the same. I used the first method and have used my "Spectrum" on all the software listed in the table. Much of the U.S. software (which was converted U.K. stuff in the first place) will run on the "Spectrum" with little or no modification. In fact, I now use "Spectrum" almost exclusively, as BASIC programs I write for it all seem to work on the 2068 anyway.




TS2068 PC BOARD COMPONENT LAYOUT

One last possibility, John Olliger sells 2068 cartridge read boards (meant to be AROS (Application ROM oriented Software) and thus mapped normally above 32K. However, his boards are remappable and it should be possible to use them, if not with Spectrum ROM then with a home-made EPROM, like Dewey's. Note the code differences between the 3 chips on the bottom of the page and compare this to what the TS 2068 technical manual says is needed for a LRUS.

NOTE: THESE ARE DIFFERENT FROM
THE TS 2068

The control, data and address busses are all exposed at the back of the Spectrum, so you can do almost anything with a Spectrum that you can with a Z80. Sometimes, though, the Spectrum hardware might get in the way. Here is a diagram of the exposed connections at the back.



SOFTWARE TESTING - SPECTRUM EMULATOR EMU-1
FOR TIMEX 2068

TITLE	VENDOR	TYPE	COMMENTS	RATING
Fantasia	Rabbit Software	Arade	Galaxian type very difficult without joystick all M.C.	5
Everest Ascent	Richard Shephard	Strategy Adventure	All BASIC Select best options	6
Bridge	P.C. Associates	Card Game	Play the Computer or set hands	7
Flight Simulator	PSION	Simulation	Virtually identical to Timex. Crash is Different	8
Maze Death Race	PSS	Arade	MC & BASIC Maze Game	6

SOFTWARE TESTING - SPECTRUM ROM
IN TIMEX 2068

TITLE	VENDOR	TYPE	COMMENTS	RATING
Kong	Ocean Software	Arade	4 screens fair to good graphics. Poor attr updates	7 (-)
Halls of the Things	Crystal Computing	Arade/ Adventure	Fast, Complicated Difficult and with good graphics	9

Also The Software Listed (tested on EMU-1) above is OK.

U.S. SOFTWARE ON THE "SPECTRUM"

We tried some of our U.S. "generated" software on a TS 2068 with emulator and got some very interesting results:

1. Flight Simulator, like its British counterpart, works on either machine.
2. VU-Calc and VU-3D work.
3. BASIC PROGRAMS (e.g. Transylvanian Tower and Everest Ascent - converted for 2068) work OK as long as they're not too long (3000 bytes less available memory).
4. Penetrator, not only runs, but the joystick works! This means the author is directly addressing the ports.
5. Dragmaster bogs down on ONERR, sound and stick commands. These are easy to spot (look for: (or) or simply Run and check the offending line out), and the rewrite author has thoughtfully left the original Spectrum lines in as REM's. Turn the tables (i.e., REM out those sound commands), and you're in business.
6. Smugglers Cove (QuickSilva) works just fine.
7. Keyboard Tutor, Logo, work if you make the corrections listed in 5 above. The ONERR statements are the real culprits.
8. Zewa Assembler (2068 version) Loads, but won't work.

Here's a typical Hang (from When's "Bridge Player" (after it's been played). While available only for the Spectrum, we've corrected it to run on the TS2068. The first problem here (as it is in all in BASIC) is the copyright protection scheme, which is M.C. loaded up near RANTOP and must be removed. With that out of the way, you must still remove a number of lines from the program (e.g., the copyright jump lines and some of the more verbose instruction screens) in order for it to fit in a 2068. Remember BASIC programs typically load about 2955 bytes higher on a 2068 than on a Spectrum. Therefore, a really full program, like this one, needs to be "trimmed" to fit in the tighter space. We'll have a review of Bridge Player in an upcoming issue.

LATE NEWS FLASH!

1. Doug Dewey tells us that new, 5 page documentation, including 150 U.K. Titles which work on the emulator (and a few that don't), is due out by the time you receive this.
2. G. Russell electronics (of Winky board fame) is rumored to have a "ROM switch" set-up available for sale.
3. Brooklyn Closeouts, 167 Klymer St. Brooklyn, N.Y. has:
 IS 20068's - \$99.95
 Printers - \$40.00
 Recorders - \$30.00
 Software 1000 - \$ 8.00
 2068 - \$10.00
 Paper - 3/S 3.50

NORTH		WEST		SOUTH	
#	K	#	K	#	K
0	0	0	0	0	0
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9

LET'S LOOK AT THE ROM'S

TIMEX 2068

EMULATOR EMU-1

SPECTRUM

LOC CONTENTS

```

1 00000000 00000000
1 00000001 00000000
1 00000002 00000000
1 00000003 00000000
1 00000004 00000000
1 00000005 00000000
1 00000006 00000000
1 00000007 00000000
1 00000008 00000000
1 00000009 00000000
1 0000000A 00000000
1 0000000B 00000000
1 0000000C 00000000
1 0000000D 00000000
1 0000000E 00000000
1 0000000F 00000000
1 00000010 00000000
1 00000011 00000000
1 00000012 00000000
1 00000013 00000000
1 00000014 00000000
1 00000015 00000000
1 00000016 00000000
1 00000017 00000000
1 00000018 00000000
1 00000019 00000000
1 0000001A 00000000
1 0000001B 00000000
1 0000001C 00000000
1 0000001D 00000000
1 0000001E 00000000
1 0000001F 00000000
1 00000020 00000000
1 00000021 00000000
1 00000022 00000000
1 00000023 00000000
1 00000024 00000000
1 00000025 00000000
1 00000026 00000000
1 00000027 00000000
1 00000028 00000000
1 00000029 00000000
1 0000002A 00000000
1 0000002B 00000000
1 0000002C 00000000
1 0000002D 00000000
1 0000002E 00000000
1 0000002F 00000000
1 00000030 00000000
1 00000031 00000000
1 00000032 00000000
1 00000033 00000000
1 00000034 00000000
1 00000035 00000000
1 00000036 00000000
1 00000037 00000000
1 00000038 00000000
1 00000039 00000000
1 0000003A 00000000
1 0000003B 00000000
1 0000003C 00000000
1 0000003D 00000000
1 0000003E 00000000
1 0000003F 00000000
1 00000040 00000000
1 00000041 00000000
1 00000042 00000000
1 00000043 00000000
1 00000044 00000000
1 00000045 00000000
1 00000046 00000000
1 00000047 00000000
1 00000048 00000000
1 00000049 00000000
1 0000004A 00000000
1 0000004B 00000000
1 0000004C 00000000
1 0000004D 00000000
1 0000004E 00000000
1 0000004F 00000000
1 00000050 00000000
1 00000051 00000000
1 00000052 00000000
1 00000053 00000000
1 00000054 00000000
1 00000055 00000000
1 00000056 00000000
1 00000057 00000000
1 00000058 00000000
1 00000059 00000000
1 0000005A 00000000
1 0000005B 00000000
1 0000005C 00000000
1 0000005D 00000000
1 0000005E 00000000
1 0000005F 00000000
1 00000060 00000000
1 00000061 00000000
1 00000062 00000000
1 00000063 00000000
1 00000064 00000000
1 00000065 00000000
1 00000066 00000000
1 00000067 00000000
1 00000068 00000000
1 00000069 00000000
1 0000006A 00000000
1 0000006B 00000000
1 0000006C 00000000
1 0000006D 00000000
1 0000006E 00000000
1 0000006F 00000000
1 00000070 00000000
1 00000071 00000000
1 00000072 00000000
1 00000073 00000000
1 00000074 00000000
1 00000075 00000000
1 00000076 00000000
1 00000077 00000000
1 00000078 00000000
1 00000079 00000000
1 0000007A 00000000
1 0000007B 00000000
1 0000007C 00000000
1 0000007D 00000000
1 0000007E 00000000
1 0000007F 00000000
1 00000080 00000000
1 00000081 00000000
1 00000082 00000000
1 00000083 00000000
1 00000084 00000000
1 00000085 00000000
1 00000086 00000000
1 00000087 00000000
1 00000088 00000000
1 00000089 00000000
1 0000008A 00000000
1 0000008B 00000000
1 0000008C 00000000
1 0000008D 00000000
1 0000008E 00000000
1 0000008F 00000000
1 00000090 00000000
1 00000091 00000000
1 00000092 00000000
1 00000093 00000000
1 00000094 00000000
1 00000095 00000000
1 00000096 00000000
1 00000097 00000000
1 00000098 00000000
1 00000099 00000000
1 0000009A 00000000
1 0000009B 00000000
1 0000009C 00000000
1 0000009D 00000000
1 0000009E 00000000
1 0000009F 00000000
1 000000A0 00000000
1 000000A1 00000000
1 000000A2 00000000
1 000000A3 00000000
1 000000A4 00000000
1 000000A5 00000000
1 000000A6 00000000
1 000000A7 00000000
1 000000A8 00000000
1 000000A9 00000000
1 000000AA 00000000
1 000000AB 00000000
1 000000AC 00000000
1 000000AD 00000000
1 000000AE 00000000
1 000000AF 00000000
1 000000B0 00000000
1 000000B1 00000000
1 000000B2 00000000
1 000000B3 00000000
1 000000B4 00000000
1 000000B5 00000000
1 000000B6 00000000
1 000000B7 00000000
1 000000B8 00000000
1 000000B9 00000000
1 000000BA 00000000
1 000000BB 00000000
1 000000BC 00000000
1 000000BD 00000000
1 000000BE 00000000
1 000000BF 00000000
1 000000C0 00000000
1 000000C1 00000000
1 000000C2 00000000
1 000000C3 00000000
1 000000C4 00000000
1 000000C5 00000000
1 000000C6 00000000
1 000000C7 00000000
1 000000C8 00000000
1 000000C9 00000000
1 000000CA 00000000
1 000000CB 00000000
1 000000CC 00000000
1 000000CD 00000000
1 000000CE 00000000
1 000000CF 00000000
1 000000D0 00000000
1 000000D1 00000000
1 000000D2 00000000
1 000000D3 00000000
1 000000D4 00000000
1 000000D5 00000000
1 000000D6 00000000
1 000000D7 00000000
1 000000D8 00000000
1 000000D9 00000000
1 000000DA 00000000
1 000000DB 00000000
1 000000DC 00000000
1 000000DD 00000000
1 000000DE 00000000
1 000000DF 00000000
1 000000E0 00000000
1 000000E1 00000000
1 000000E2 00000000
1 000000E3 00000000
1 000000E4 00000000
1 000000E5 00000000
1 000000E6 00000000
1 000000E7 00000000
1 000000E8 00000000
1 000000E9 00000000
1 000000EA 00000000
1 000000EB 00000000
1 000000EC 00000000
1 000000ED 00000000
1 000000EE 00000000
1 000000EF 00000000
1 000000F0 00000000
1 000000F1 00000000
1 000000F2 00000000
1 000000F3 00000000
1 000000F4 00000000
1 000000F5 00000000
1 000000F6 00000000
1 000000F7 00000000
1 000000F8 00000000
1 000000F9 00000000
1 000000FA 00000000
1 000000FB 00000000
1 000000FC 00000000
1 000000FD 00000000
1 000000FE 00000000
1 000000FF 00000000
1 00000100 00000000
1 00000101 00000000
1 00000102 00000000
1 00000103 00000000
1 00000104 00000000
1 00000105 00000000
1 00000106 00000000
1 00000107 00000000
1 00000108 00000000
1 00000109 00000000
1 0000010A 00000000
1 0000010B 00000000
1 0000010C 00000000
1 0000010D 00000000
1 0000010E 00000000
1 0000010F 00000000
1 00000110 00000000
1 00000111 00000000
1 00000112 00000000
1 00000113 00000000
1 00000114 00000000
1 00000115 00000000
1 00000116 00000000
1 00000117 00000000
1 00000118 00000000
1 00000119 00000000
1 0000011A 00000000
1 0000011B 00000000
1 0000011C 00000000
1 0000011D 00000000
1 0000011E 00000000
1 0000011F 00000000
1 00000120 00000000
1 00000121 00000000
1 00000122 00000000
1 00000123 00000000
1 00000124 00000000
1 00000125 00000000
1 00000126 00000000
1 00000127 00000000
1 00000128 00000000
1 00000129 00000000
1 0000012A 00000000
1 0000012B 00000000
1 0000012C 00000000
1 0000012D 00000000
1 0000012E 00000000
1 0000012F 00000000
1 00000130 00000000
1 00000131 00000000
1 00000132 00000000
1 00000133 00000000
1 00000134 00000000
1 00000135 00000000
1 00000136 00000000
1 00000137 00000000
1 00000138 00000000
1 00000139 00000000
1 0000013A 00000000
1 0000013B 00000000
1 0000013C 00000000
1 0000013D 00000000
1 0000013E 00000000
1 0000013F 00000000
1 00000140 00000000
1 00000141 00000000
1 00000142 00000000
1 00000143 00000000
1 00000144 00000000
1 00000145 00000000
1 00000146 00000000
1 00000147 00000000
1 00000148 00000000
1 00000149 00000000
1 0000014A 00000000
1 0000014B 00000000
1 0000014C 00000000
1 0000014D 00000000
1 0000014E 00000000
1 0000014F 00000000
1 00000150 00000000
1 00000151 00000000
1 00000152 00000000
1 00000153 00000000
1 00000154 00000000
1 00000155 00000000
1 00000156 00000000
1 00000157 00000000
1 00000158 00000000
1 00000159 00000000
1 0000015A 00000000
1 0000015B 00000000
1 0000015C 00000000
1 0000015D 00000000
1 0000015E 00000000
1 0000015F 00000000
1 00000160 00000000
1 00000161 00000000
1 00000162 00000000
1 00000163 00000000
1 00000164 00000000
1 00000165 00000000
1 00000166 00000000
1 00000167 00000000
1 00000168 00000000
1 00000169 00000000
1 0000016A 00000000
1 0000016B 00000000
1 0000016C 00000000
1 0000016D 00000000
1 0000016E 00000000
1 0000016F 00000000
1 00000170 00000000
1 00000171 00000000
1 00000172 00000000
1 00000173 00000000
1 00000174 00000000
1 00000175 00000000
1 00000176 00000000
1 00000177 00000000
1 00000178 00000000
1 00000179 00000000
1 0000017A 00000000
1 0000017B 00000000
1 0000017C 00000000
1 0000017D 00000000
1 0000017E 00000000
1 0000017F 00000000
1 00000180 00000000
1 00000181 00000000
1 00000182 00000000
1 00000183 00000000
1 00000184 00000000
1 00000185 00000000
1 00000186 00000000
1 00000187 00000000
1 00000188 00000000
1 00000189 00000000
1 0000018A 00000000
1 0000018B 00000000
1 0000018C 00000000
1 0000018D 00000000
1 0000018E 00000000
1 0000018F 00000000
1 00000190 00000000
1 00000191 00000000
1 00000192 00000000
1 00000193 00000000
1 00000194 00000000
1 00000195 00000000
1 00000196 00000000
1 00000197 00000000
1 00000198 00000000
1 00000199 00000000
1 0000019A 00000000
1 0000019B 00000000
1 0000019C 00000000
1 0000019D 00000000
1 0000019E 00000000
1 0000019F 00000000
1 000001A0 00000000
1 000001A1 00000000
1 000001A2 00000000
1 000001A3 00000000
1 000001A4 00000000
1 000001A5 00000000
1 000001A6 00000000
1 000001A7 00000000
1 000001A8 00000000
1 000001A9 00000000
1 000001AA 00000000
1 000001AB 00000000
1 000001AC 00000000
1 000001AD 00000000
1 000001AE 00000000
1 000001AF 00000000
1 000001B0 00000000
1 000001B1 00000000
1 000001B2 00000000
1 000001B3 00000000
1 000001B4 00000000
1 000001B5 00000000
1 000001B6 00000000
1 000001B7 00000000
1 000001B8 00000000
1 000001B9 00000000
1 000001BA 00000000
1 000001BB 00000000
1 000001BC 00000000
1 000001BD 00000000
1 000001BE 00000000
1 000001BF 00000000
1 000001C0 00000000
1 000001C1 00000000
1 000001C2 00000000
1 000001C3 00000000
1 000001C4 00000000
1 000001C5 00000000
1 000001C6 00000000
1 000001C7 00000000
1 000001C8 00000000
1 000001C9 00000000
1 000001CA 00000000
1 000001CB 00000000
1 000001CC 00000000
1 000001CD 00000000
1 000001CE 00000000
1 000001CF 00000000
1 000001D0 00000000
1 000001D1 00000000
1 000001D2 00000000
1 000001D3 00000000
1 000001D4 00000000
1 000001D5 00000000
1 000001D6 00000000
1 000001D7 00000000
1 000001D8 00000000
1 000001D9 00000000
1 000001DA 00000000
1 000001DB 00000000
1 000001DC 00000000
1 000001DD 00000000
1 000001DE 00000000
1 000001DF 00000000
1 000001E0 00000000
1 000001E1 00000000
1 000001E2 00000000
1 000001E3 00000000
1 000001E4 00000000
1 000001E5 00000000
1 000001E6 00000000
1 000001E7 00000000
1 000001E8 00000000
1 000001E9 00000000
1 000001EA 00000000
1 000001EB 00000000
1 000001EC 00000000
1 000001ED 00000000
1 000001EE 00000000
1 000001EF 00000000
1 000001F0 00000000
1 000001F1 00000000
1 000001F2 00000000
1 000001F3 00000000
1 000001F4 00000000
1 000001F5 00000000
1 000001F
```

HARDWARE REVIEW

ITEM: EMU-1 SPECTRUM EMULATOR
 FROM: DOUG DEWEY (ENTER LENGUA)
 206 JAMES STREET
 CARBORO, N.C. 27510
 FUNCTION: CONVERTS YOUR 2068 INTO A SPECTRUM
 PRICE: \$60.00 (INCLUDES P&P)

Doug Dewey's EMU-1 is a small (2" X 3"), open, double sided, p.c. board which plugs into the cartridge port of your 2068. It contains a 74LS155 for chip select and a 27128 EPROM, programmed to look like an LROS (Language ROM Oriented Software) package to the 2068. Once recognized by the system, LROS's take over control, and this one is programmed to act just like a Spectrum ROM.

I received my EMU-1 about 1 week ago and taking it out of its foil wrapped box with trembling fingers, inserted it into my 2068's cartridge port. It's a fairly snug fit, and close attention to the attached instruction sheet helps make the operation go smoothly. In addition to the insertion/removal instructions, Mr Dewey provides a 4 page letter describing the background and use of the board, some encouragements and warnings to prospective users.

Once you power up, the 2068 initializes itself and then checks the first few bytes of whatever is in the cartridge port. In this case, it finds there is another "language" you want to use and transfers control to that chip. (You could be running FORTH, for example). What you'll see on the screen at switch on is the familiar double copyright notice. Immediately however, as control is transferred to your "Spectrum" Eprom, the system reinitializes and only the © 1982 Sinclair Research notice remains. When that happens, you've got yourself a Spectrum.

The board works well with all the Spectrum Software we could dig up (see lists), and since U.K. software sells for about 1/2 of its U.S. equivalent, a whole new world of computer power is available to you. We've even ordered PASCAL, the Hobbit and Jet Set Will, based on the performance of the board.

There are some minor drawbacks to the board of which you should be aware. First, is the fact that its an open board. While this is somewhat objectionable from a cosmetic standpoint, more important is the possibility that you could damage the chips in handling. Take normal precautions to prevent static electricity buildup. Second, the edge connector is not gold plated. This means it can only take a limited (though still perhaps in the hundreds) number of insertions and removals before needing to be re-tinned. Again, you can correct this yourself, by having the edges gold plated. These are, as we said, minor complaints, and should prove to be of little importance to most users.

Finally, you should also be able to LOAD and run your existing library of BASIC programs with very little difficulty. The only commands that cause a problem for the interpreter are ON ERR, STICK, SOUND, and FREE. Peaks, Poke and USR's will work, but perhaps not as you expected, so check these also.

The EMU-1 is perhaps the most powerful add-on you can get for your 2068. With it, you'll have access to a tremendous installed base of UK software and still be able to use your 2068's extra capabilities and U.S. software. I rate the EMU a 9.7 out of 10.

@1984 P.Donnally

GROUP

Z-T-S-T

CATALOGS RECEIVED

Integrated Data Systems
 11 Brighton Avenue
 Toronto, Canada M4M 1P3
 (416) 466 5571

Exceptionally Complete Catalogs
 for the ZX/TS & 2068 - The ZX/TS
 is 36 pages of full size type with
 descriptions.

John Olliger
 11601 Whidbey Drive
 Cumberland, In. 46229

For the dedicated hardware enthusiast,
 Memory, Eprom (read & program) boards
 and connectors - Rare Boards and parts
 kits available (see SQ back issues).

BCD Electro
 PO Box 830119
 Richardson, Tx 75083-0119

Disk Drives, Disk power supplies
 Disks at 1.00 each Drives @169.00ea

D. Lipinski Software
 2737 Susquehanna Road
 Roslyn, Pa. 19001

BASIC only home & business
 TS 1000 & 2068

E. Arthur Brown
 3404 Pawnee Drive
 Alexandria, MN. 56308

Hardware & Software
 All at or near full list price.
 Claims availability of Smart II
 software.

Knighted Computers
 707 Highland Street
 Fulton, N.Y. 12069

Most hardware & software
 Somewhat below list prices

P.V. Tubes
 104 Abbey Street
 Accrington BB51EE Lancs

Software (Spectrum)
 and hardware replacement
 parts for ZX81 & Spectrum

Melbourne House
 Castle Yard House
 Castle Yard, Richmond
 TW104TF

Books & Software
 for Spectrum (e.g., ROM
 disassembly

Software Supermarket
 87 Howards Lane
 London, England SW15AMU

All Spectrum & ZX81
 titles

POLICY ON CONTRIBUTED MATERIAL:

We are always looking for interesting articles, programs, reviews etc. to help keep our members informed and entertained. Articles submitted for publication are printed on the following basis:

1. You, the writer, maintain the full copyright and can resell, lend or give away your work, as you wish.
2. We are granted the right to publish your material, in the original issue in which it appears. Reprints (e.g., to supply orders for back issues) will include your material as a part of its original issue. We are not allowed to sell your material in any other way, without your express written consent;

We can't (for now) pay you for your material, but you will receive a copy of the issue in which it is published, even if you're not a member. You may get more than one issue and you will definitely earn the respect and appreciation by your grateful peers.

If you have a program or article about something you've tried, please send it in. Our group interests are so varied that I can almost certainly guarantee that someone else can use your expertise to solve his problem.

```

1000 PRINT TAB 10;"PRECESSION"
1010 PRINT TAB 9;"BY J.P. POOL AND R.L. BLKEY"
1015 PRINT
1020 PRINT TAB 9;"ASTRONOMY 8 84"
1022 PRINT
1024 PRINT TAB 4;"TRANSLATED TO TIMEX SINCLAIRBY BOB HOWARD, WAGGI"
1025 PRINT
1030 PRINT "THIS PROGRAM CONVERTS RA AND DEC COORDINATES FROM ANY EPOCH TO ANY YEAR."
1035 PRINT
1036 PAUSE 300
1037 CLS
1040 LET R=.01745329
1050 PRINT
1060 REM COMPUTE CONSTANTS OF PRESC.
1070 PRINT "ENTER INITIAL EPOCH (E.G.1950) ",
1075 INPUT IN
1080 PRINT IN
1090 PRINT "ENTER FINAL EPOCH (4 DIGITS) : ",
1100 INPUT F1
1105 PRINT F1
1160 LET T1=I-IN
1170 LET T=T1/100
1180 LET Z0=((2305.65*T)+(0.302*T*T)+(0.018*T*T*T))
1190 LET Z1=R*(Z0/3600)
1200 LET Z=(Z0+(.791*T*T))/3600
1210 LET TH-R*((2003.829*T)-(0.426*T*T)-(1.042*T*T*T))/3600
1220 PRINT
1230 REM INPUT COORD AND MOTION
1240 PRINT "INITIAL RA:      HH MM S.F",
1245 INPUT RS
1250 PRINT RS
1255 PRINT
1265 PRINT "INITIAL DEC?:  +DD MM SS",
1266 INPUT DS
1267 IF DS(1)="/" OR DS(1)="-" THEN GOTO 1270
1268 IF DS(1)<>"+" OR DS(1)<>"-" THEN PRINT "PLEASE USE SIGN AND R-ENTER"
1269 IF DS(1)<>"+" OR DS(1)<>"-" THEN GOTO 1267
1270 PRINT DS
1275 PRINT
1278 PAUSE 200
1279 CLS
1280 PRINT "PROPER MOTION:(MURA,MUDC)";"TWO ENTRIES (E.G.,-.02,.213)",
1282 PRINT "ENTER""00""IF UNKNOWN",
1285 INPUT MURA
1287 CLS
1290 PRINT "MURA: ";MURA,
1295 INPUT MUDC
1300 PRINT "MUDC: ";MUDC
1305 PRINT
1310 LET MURA=T1*15*MURA/3600
1315 LET MUDC=T1*MUDC/3600
1320 LET IRA=VAL (RS TO 2)
1325 LET IRA=IRA-VAL (RS(4 TO 5))/60
1330 LET IRA=IRA-VAL (RS(7 TO 8))/3600
1340 LET IRA=15*IRA
1345 LET IDC=VAL (DS(2 TO 3))
1350 LET IDC=IDC-VAL (DS(5 TO 6))/60
1355 LET IDC=IDC-VAL (DS(8 TO 9))/3600
1370 IF DS(1)="/" THEN LET IDC=-IDC
1390 LET AL0=R*(IRA-MURA)
1400 LET DLO=R*(IDC-MUDC)
1410 PRINT
1420 REM PRECESS COORD.
1430 PRINT
1440 LET A=COS (DLO)*SIN (AL0-Z1)
1450 LET B=(COS (TH)*COS (DLO)*COS (AL0-Z1))-(SIN (TH)*SIN (DLO))
1460 LET C=(SIN (TH)*COS (DLO)*COS (AL0-Z1))-(COS (TH)*SIN (DLO))
1470 LET ALPMZ=ATN (A/B)/R
1480 LET AL=(ALPMZ-Z)/15
1490 IF B<0 AND A>0 THEN LET AL=AL-12
1500 IF B<0 AND A<0 THEN LET AL=AL-12
1510 IF B>0 AND A<0 THEN LET AL=AL+24

```

```

1520 LET DL=ATN (C/SQR (1-(C*C)))/R
1530 PRINT
1535 REM DEC RA TO HH MM SS.F
1540 PRINT
1550 IF AL=0 THEN LET RAH=INT (AL)
1560 IF AL<0 THEN LET RAH=INT (AL)+1
1570 LET RAM=INT (60*(AL-RAH))
1580 LET RAS=INT (3600*(AL-RAH-(RAM/60)))
1590 LET RAF=INT (36000*(AL-RAH-(RAM/60)-(RAS/3600)))
1600 LET HS=STR$ (RAH)
1605 LET MS=STR$ (RAM)
1610 LET SS=STR$ (RAS)
1615 LET FS=STR$ (RAF)
1620 IF RAH=10 THEN LET HS(1)="0"
1625 IF LEN HS=1 THEN LET HS="00"
1630 IF LEN HS=3 THEN LET HS=HS(2 TO 3)
1640 IF RAM=10 THEN LET MS(1)="0"
1650 IF LEN MS=2 THEN LET MS=" "4MS
1660 IF RAS=10 THEN LET SS(1)="0"
1670 IF LEN SS=2 THEN LET SS=" "4SS
1675 LET FS=" "4FS
1680 LET AS=HS-MS-SS-FS
1700 REM DEC TO DD MM SS
1705 PRINT
1710 IF DLO<0 THEN LET GS="--"
1715 IF DLO=0 THEN LET GS="+"
1718 IF DLO<0 THEN LET DD=INT (DLO)+1
1720 IF DLO=0 THEN LET DD=INT (DLO)
1730 LET DL=ABS DLO
1732 LET DD=ABS DD
1735 LET DM=INT (60*(DL-DD))
1740 LET DS=INT (3600*(DL-DD-(DM/60)))
1750 LET ES=STR$ (DD)
1752 LET NS=STR$ (DM)
1760 LET TS=STR$ (DS)
1770 IF DD=10 THEN LET ES(1)="0"
1780 IF LEN ES=3 THEN LET ES=ES(2 TO 3)
1790 IF DM=10 THEN LET NS(1)="0"
1800 IF LEN NS=2 THEN LET NS=" "4NS
1810 IF DS=10 THEN LET TS(1)="0"
1820 IF LEN TS=2 THEN LET TS=" "4TS
1830 LET CS=GS+ES-NS+TS
1835 CLS
1838 PRINT AT 9.10;"PRECESSION".....
1840 PRINT "EPOCH":TAB 10;"RA":TAB 25;"DEC"
1850 PRINT " ";IN:" ";RS+" "4DS
1860 PRINT " ";FI:" ";AS+" "4CS
1870 PRINT
1880 PRINT
1890 PRINT "WANT ANOTHER? Y/N"
1895 INPUT YS
1900 IF YS(1) "Y" THEN PRINT "GOOD-BYE"
1901 IF YS(1) "Y" THEN GOTO 1910
1902 IF YS(1) "Y" THEN PRINT "(S)AME OR (N)EW EPOCH? S/N"
1904 INPUT QS
1905 CLS
1906 IF QS="S" THEN GOTO 1230
1908 IF QS="N" THEN GOTO 1060
1910 STOP

```

ZX-81 PROGRAM

Submitted by Bob Howard (WAGGI) adapted for The TS1000 from July 1984, Astronomy Magazine and printed on Brother EP-44. This program converts the RA & DEC coordinates from any Epoch to and year.

PARTS REQUIRED:

- 1- 35/70 contact edge connector, wire wrap pins
- 1- male, 64 contacts, finger connector
- 1- RCA phono plug
- 1- 5 wire cable to interface monitor, 3 - 4 feet


TOOLS REQUIRED:

- Fine blade saw (coping saw, hack saw or X-ACTO razor saw)
- Soldering iron with fine tip
- Needle nose pliers
- Small vise

STEP-1 CUTTING THE EDGE CONNECTOR TO SIZE.


Place the 35/70 contact edge connector in a vise and lightly tighten. Using a fine blade saw, carefully cut through the connector at the first (1st) contact. Count the contacts from the cut end to the 33rd contacts and mark with a pencil. Carefully cut through the 33rd contacts. You should have a connector with two equal rows of 32 contacts.

Cutting edge connector

**STEP-2 INSTALLING THE KEYWAY IN THE CONNECTOR.**


Starting from one end of the connector, count up to the 6th set of contacts and mark with a pencil. If your connector came with a plastic "T" key, insert the key into the 6th contacts and push down until it is locked in place. If you do not have a "T" key you will have to make one from a piece of 1/16" plastic or P/C material. Using a needle nose pliers, pull out both (top and bottom) contacts in the 6th slots of the connector. Cut a section of plastic to fit into the vacant slots. Insert the key into the connector. It should be a snug fit-DO NOT FORCE INTO THE CONNECTOR! Trim the key if necessary. A drop of super glue can be applied to the key, however it is not necessary.

Installing key

**STEP-3 MALE FINGER CONNECTOR.**

Cut a section of .1" spaced P/C edge finger card to size - 32 fingers each side and approximately 3/4"-7/8" wide. At any end, count up to finger 6 and mark. Place the finger board in a vise and make 2 cuts into the 6th finger with a saw. Break out the narrow section of material remaining between cuts with a needle nose pliers. Smooth both sides of the slot with a file.

Male finger assy

**STEP-4 ASSEMBLY.**


Place the 64 contact edge connector wire wrap pins on a block of wood and apply upwards pressure on the body of the connector. The pins should uniformly bend towards the center of the connector. Turn the connector over and repeat the previous step. Carefully position the finger connector between both rows of wire wrap pins of the edge connector. Be sure that both connectors are at right angles of each other. Solder each wire wrap pin to the appropriate land on the finger board. Make sure that there are no solder bridges between contacts.

Assembly

**STEP-5 RGB CONNECTIONS.**

Position the connector assembly with the finger connector facing you (the key slot facing the left-hand side). This is the bottom of the assembly. Count up from the left-hand side of the connector to the 7th wire wrap pin (2nd pin after the slot) and solder a length of BLACK wire to this pin. This is the GROUND lead. Count down from the right-hand side of the connector to the 6th wire wrap pin and solder a RED wire to this pin. This is "R". Solder a length of GREEN wire to the 5th wire wrap pin. This is "G". Solder a length of BLUE wire to the 4th wire wrap pin. This is "B". Solder a YELLOW wire to the center contact of an RCA phono plug. This will plug into the MONITOR jack on the 2068 to provide a SYNC signal for the RGB monitor. Slide a length of tubing over the 5 wires to form a cable. The free ends of the cable must be soldered to an appropriate connector to mate with the monitor.


Wire cable connections



The internal computer RGB modification instructions will be presented in next months L.I.S.T. -- see you then...Bob Gilder

9/84

NOTE: Bob Glider's interface works beautifully and he found he didn't even need TIMEX's synch stripper, as the monitor (and most with NTSC input) has such circuits. Yours are disabled or inaccessible, you might need to build this little circuit. Again, we doubt it, but the circuit "couldn't hurt".



Attachment of an RGB Monitor


The TS 2068 provides via the PI rear-edge connector the ability to attach an RGB monitor for excellent picture clarity and resolution. The TTL-level logic signals appear directly on the rear-edge connector of the TS 2068 -- the necessary synch signals can be derived from the simple synch stripper/separator circuit described here.

The Schematic of Figure 2.4.1-3 shows the required connections and electronics. Attachment is via the 64-pin keyed PI connector. Shielding should not normally be required, but ferrite beads are recommended on each wire to minimize EMI, TVI, etc.

Circuit Operation - R1 and the base-emitter junction of Q1 operate as a DC restoration circuit with current flowing only when the composite video input signal from connector pin B31 is at the synch level. With the charge maintained on C1, Q1 conducts only during the synch pulse interval (not during the color burst time). During this conduction interval, the composite synch signal appears in inverted form on the collector of Q1. The Q2 stage simply re-inverts the signal, providing at its collector a composite synch signal for the connected monitor.

To provide a separated Vertical synch pulse, R5 and C3 filter the output of Q1 to partially eliminate the Horizontal synch pulses which are shorter than the Vertical synch pulses. The partially filtered inverted signal is re-inverted by Q3, then R5 and C4 complete the elimination of the Horizontal synch pulses so that a separate Vertical synch pulse is supplied for the attached monitor.



Signals R, G, and B from connector pins B17, B28, and B29 can be supplied directly to the attached monitor.



SCHEMATIC FOR RGB MONITOR CONNECTION

PI CONNECTOR SIGNAL LAYOUT

TS 2068 MANUAL EXTRACTS




SPECIFICATIONS	
1. DIMENSIONS	
A	0.000 ± 0.001
B	0.000 ± 0.001
C	0.000 ± 0.001
D	0.000 ± 0.001
E	0.000 ± 0.001
F	0.000 ± 0.001
G	0.000 ± 0.001
H	0.000 ± 0.001
I	0.000 ± 0.001
J	0.000 ± 0.001
K	0.000 ± 0.001
L	0.000 ± 0.001
M	0.000 ± 0.001
N	0.000 ± 0.001
O	0.000 ± 0.001
P	0.000 ± 0.001
Q	0.000 ± 0.001
R	0.000 ± 0.001
S	0.000 ± 0.001
T	0.000 ± 0.001
U	0.000 ± 0.001
V	0.000 ± 0.001
W	0.000 ± 0.001
X	0.000 ± 0.001
Y	0.000 ± 0.001
Z	0.000 ± 0.001

- NOTES
1. INSULATION MATERIAL: Insulator body shall be PPS, glass-filled polyester and shall meet UL-94V-0 requirements.
 2. CONTACT MATERIAL: Contact material shall be phosphor bronze.
 3. CONTACT FINISH: Contacts shall be electrolytically plated with gold 0.0005 ± 0.0001 inch, over nickel or contact surface.
 4. MOUNTING HOLE: Mounting holes shall be 0.125 ± 0.002 inch diameter.
 5. WITHDRAWAL FORCE: Withdrawal force shall be 0.5 ± 0.05 grams (0.0015 ± 0.0005 newtons) for 0.125 ± 0.002 inch diameter holes.
 6. NORMAL FORCE: Normal force shall be 0.1 ± 0.02 grams (0.0003 ± 0.0001 newtons) for 0.125 ± 0.002 inch diameter holes.
 7. PURCHASE PAGE: See Shop Manual, Vol. 1, Page 10-1110.

PIANO

For lower 1015 & press
For middle 1015 & press
For higher 1015 & press



64 PIN CONNECTOR
PI MATING CONNECTOR MECHANICAL REQUIREMENTS

POT POURRI

VU-3D's SECRET SHAPES


Did you know that VU-3D (from Psion for the 2068) comes with two demo shapes. One is the goblet shown on the box and which you LOAD after loading in VU-3D. The other however, is built right into the program and can be manipulated right away, if you simply don't clear it when you first load VU-3D.

The shape is actually two shapes, a pair of pyramids jammed together near their apexes.

The accompanying screen dumps show these secret shapes. Can you figure out how to call them up without actually loading a new shape?



MAG=002.45 ROT 000 000 000000



MAG=002.45 ROT 000 000 000000

W A R N I N G

When the second display file is active at the screen, any system messages such as SCALL, error reports, or use of the INPUT command will not be visible and the system may appear to be "hung". Indiscriminately pressing keys may be filling the "invisible" edit line with "garbage", thus further aggravating the situation. The DNERR facility can be used to intercept some of these situations and set the video mode to use Display File 1 at the screen in order that the message can be seen and responded to. Otherwise, it is necessary to key in and execute from the edit line without being able to see it.

LIST
10 IDLE DAY DRIVE
CENTERPORT, N.Y. 11721

TO:

LISTING

LIST GROUP

NAME	ADDRESS	PHONE
1 P.J. Donnelly	10 Idle Day Drive Centerport, N.Y. 11721	W 212-572-7603 H 516-261-6934
2 Heinz Hanken	9 Dartmoor Drive East Northport, N.Y. 11731	368-9088 737-3557 (W)
3 N. Pashtoon	37 Laurel Drive Port Jefferson, N.Y. 11777	331-1658
4 Bob Malloy	412 Pacific Street Massapequa Park, N.Y. 11762	516-541-6731
5 Jeff Street	62 Harriet Lane Huntington, N.Y. 11743	423-9003
6 Al Greenfeld	14 Wisteria Way Commack, N.Y. 11725	499-3178
7 Rich Becker	18 Mangin Rd COMMACK, N.Y.	499-2413
8 Jerry Haack	23 Reese Place Farmingdale, N.Y. 11735	
9 Lando Landucci	13th Floor 800 3rd Avenue New York City 10022	572-7819
10 Kevin Smith	21 Whittier Drive Greenlawn, N.Y. 11740	754-2398 (H) 435-7309
11 A. Charles Davidson	2639 Imperial Street Salt Lake City, Ut. 84106	
12 Robert L. Howard (WAGDC)	750 N. Yuleton Avenue West Covina, Ca. 91790	818-338-3291
13 John R. Scott (A. Blinkin')	619 MacArthur Drive Colma, Ca 94015	415-755-3907
14 Robert Gilder	69 Jefferson Place Massapequa, New York 11758	541-2271
15 Morton Jeskin	16 Cold Spring Hills Road Huntington, N.Y. 11743	692-7168
16 John McCullough	LaBonne Via Dr 40B East Patchogue, N.Y. 11746	
17 Harvey Rait	5 Peri Lane Valley Stream, N.Y. 11581	791 6247
18 Chuck Russell	2 Elsmere Place East Northport, N.Y. 11731	499-9138
19 Hank Brech	106 Princeton Street Williston Park, N.Y. 11596	
20. Fred Kaplan	33-65 14th Street Long Island City, N.Y. 11106	

← 2 6 11 There are 4 = 16 @ 5H/11
The one you want is a Ranch with
kerokurved Drive - all others are up
a steep hill

Rte 110



Oakwood

Jericho Tpke
RT 25

Cold Spring
Hills Rd

Huntington
Hills Rd

St. Michaels
Avenue

Meeting: Sept 30th, 2 PM

Quarterly Newsletter of the SOFTWARE LIBRARY

THAT ZERO LINE AGAIN

On reading the last issue of Computerchat, I became interested in the different methods used to create line 0's in listings. The easiest way to do this is to write a line 1 and then POKE 23756,0. However any line 0 can be removed by POKE 23756,1 or whatever.

I put my copyright message at the other end of the program. When a line 1 is written, POKE 23755,46; POKE 23756,224 will turn it into a line 2000 (in effect a line 12000). This type of line will list after 9999 and is also edit-proof as it cannot be re-entered. For POKE 23755,n, n can take any value between 40 and 63.

It is simple to write a program and then merge a short two-line BASIC program containing the copyright messages with it. However when a program of 7K or more, containing a line greater than 9999, is merged into the machine the result is a crash as the machine tries to compose a line greater than 9999 with the contents of memory. This means the auto-run cannot be avoided. If POKE 23613, PEEK 23730-5 is used to disengage the BREAK key, then the BASIC program produced can be as hard to copy as a machine code program.

The line number POKEs depend on BASIC program area starting at 23755 which is not true on a Spectrum with microdrives.

P.S. Did you know that on the Spectrum a basic line can be entered that does not contain a key word? A basic line can be entered that contains only a cursor colour command, 1-0 in extended mode...is this another bug in the ROM?

P.P.S. Try this:

10 PLOT 128,0
20 DRAW 0,175,189xPI

D. Spencer
Leek, Staffs

SECRET

by Dennis J. Purjes

Machine Code	Machine Name	Screen Name
0000	0000	0000
0001	0001	0001
0002	0002	0002
0003	0003	0003
0004	0004	0004
0005	0005	0005
0006	0006	0006
0007	0007	0007
0008	0008	0008
0009	0009	0009
0010	0010	0010
0011	0011	0011
0012	0012	0012
0013	0013	0013
0014	0014	0014
0015	0015	0015
0016	0016	0016
0017	0017	0017
0018	0018	0018
0019	0019	0019
0020	0020	0020
0021	0021	0021
0022	0022	0022
0023	0023	0023
0024	0024	0024
0025	0025	0025
0026	0026	0026
0027	0027	0027
0028	0028	0028
0029	0029	0029
0030	0030	0030
0031	0031	0031
0032	0032	0032
0033	0033	0033
0034	0034	0034
0035	0035	0035
0036	0036	0036
0037	0037	0037
0038	0038	0038
0039	0039	0039
0040	0040	0040
0041	0041	0041
0042	0042	0042
0043	0043	0043
0044	0044	0044
0045	0045	0045
0046	0046	0046
0047	0047	0047
0048	0048	0048
0049	0049	0049
0050	0050	0050
0051	0051	0051
0052	0052	0052
0053	0053	0053
0054	0054	0054
0055	0055	0055
0056	0056	0056
0057	0057	0057
0058	0058	0058
0059	0059	0059
0060	0060	0060
0061	0061	0061
0062	0062	0062
0063	0063	0063
0064	0064	0064
0065	0065	0065
0066	0066	0066
0067	0067	0067
0068	0068	0068
0069	0069	0069
0070	0070	0070
0071	0071	0071
0072	0072	0072
0073	0073	0073
0074	0074	0074
0075	0075	0075
0076	0076	0076
0077	0077	0077
0078	0078	0078
0079	0079	0079
0080	0080	0080
0081	0081	0081
0082	0082	0082
0083	0083	0083
0084	0084	0084
0085	0085	0085
0086	0086	0086
0087	0087	0087
0088	0088	0088
0089	0089	0089
0090	0090	0090
0091	0091	0091
0092	0092	0092
0093	0093	0093
0094	0094	0094
0095	0095	0095
0096	0096	0096
0097	0097	0097
0098	0098	0098
0099	0099	0099

[illegible]

The program (LOAD
 = COBOL)

[illegible]

0000
 0001
 0002
 0003
 0004
 0005
 0006
 0007
 0008
 0009
 0010
 0011
 0012
 0013
 0014
 0015
 0016
 0017
 0018
 0019
 0020
 0021
 0022
 0023
 0024
 0025
 0026
 0027
 0028
 0029
 0030
 0031
 0032
 0033
 0034
 0035
 0036
 0037
 0038
 0039
 0040
 0041
 0042
 0043
 0044
 0045
 0046
 0047
 0048
 0049
 0050
 0051
 0052
 0053
 0054
 0055
 0056
 0057
 0058
 0059
 0060
 0061
 0062
 0063
 0064
 0065
 0066
 0067
 0068
 0069
 0070
 0071
 0072
 0073
 0074
 0075
 0076
 0077
 0078
 0079
 0080
 0081
 0082
 0083
 0084
 0085
 0086
 0087
 0088
 0089
 0090
 0091
 0092
 0093
 0094
 0095
 0096
 0097
 0098
 0099
 0100
 0101
 0102
 0103
 0104
 0105
 0106
 0107
 0108
 0109
 0110
 0111
 0112
 0113
 0114
 0115
 0116
 0117
 0118
 0119
 0120
 0121
 0122
 0123
 0124
 0125
 0126
 0127
 0128
 0129
 0130
 0131
 0132
 0133
 0134
 0135
 0136
 0137
 0138
 0139
 0140
 0141
 0142
 0143
 0144
 0145
 0146
 0147
 0148
 0149
 0150
 0151
 0152
 0153
 0154
 0155
 0156
 0157
 0158
 0159
 0160
 0161
 0162
 0163
 0164
 0165
 0166
 0167
 0168
 0169
 0170
 0171
 0172
 0173
 0174
 0175
 0176
 0177
 0178
 0179
 0180
 0181
 0182
 0183
 0184
 0185
 0186
 0187
 0188
 0189
 0190
 0191
 0192
 0193
 0194
 0195
 0196
 0197
 0198
 0199
 0200
 0201
 0202
 0203
 0204
 0205
 0206
 0207
 0208
 0209
 0210
 0211
 0212
 0213
 0214
 0215
 0216
 0217
 0218
 0219
 0220
 0221
 0222
 0223
 0224
 0225
 0226
 0227
 0228
 0229
 0230
 0231
 0232
 0233
 0234
 0235
 0236
 0237
 0238
 0239
 0240
 0241
 0242
 0243
 0244
 0245
 0246
 0247
 0248
 0249
 0250
 0251
 0252
 0253
 0254
 0255
 0256
 0257
 0258
 0259
 0260
 0261
 0262
 0263
 0264
 0265
 0266
 0267
 0268
 0269
 0270
 0271
 0272
 0273
 0274
 0275
 0276
 0277
 0278
 0279
 0280
 0281
 0282
 0283
 0284
 0285
 0286
 0287
 0288
 0289
 0290
 0291
 0292
 0293
 0294
 0295
 0296
 0297
 0298
 0299
 0300
 0301
 0302
 0303
 0304
 0305
 0306
 0307
 0308
 0309
 0310
 0311
 0312
 0313
 0314
 0315
 0316
 0317
 0318
 0319
 0320
 0321
 0322
 0323
 0324
 0325
 0326
 0327
 0328
 0329
 0330
 0331
 0332
 0333
 0334
 0335
 0336
 0337
 0338
 0339
 0340
 0341
 0342
 0343
 0344
 0345
 0346
 0347
 0348
 0349
 0350
 0351
 0352
 0353
 0354
 0355
 0356
 0357
 0358
 0359
 0360
 0361
 0362
 0363
 0364
 0365
 0366
 0367
 0368
 0369
 0370
 0371
 0372
 0373
 0374
 0375
 0376
 0377
 0378
 0379
 0380
 0381
 0382
 0383
 0384
 0385
 0386
 0387
 0388
 0389
 0390
 0391
 0392
 0393
 0394
 0395
 0396
 0397
 0398
 0399
 0400
 0401
 0402
 0403
 0404
 0405
 0406
 0407
 0408
 0409
 0410
 0411
 0412
 0413
 0414
 0415
 0416
 0417
 0418
 0419
 0420
 0421
 0422
 0423
 0424
 0425
 0426
 0427
 0428
 0429
 0430
 0431
 0432
 0433
 0434
 0435
 0436
 0437
 0438
 0439
 0440
 0441
 0442
 0443
 0444
 0445
 0446
 0447
 0448
 0449
 0450
 0451
 0452
 0453
 0454

[illegible]

For this short program making
four calls should be the best
choice. The system should never
be able to find the end of the
machine code program.

[illegible]

CAUTION: DO NOT TRY TO VERIFY THE SCREEN DISPLAY; IT WILL NOT VERIFY.

))))))))))

材料材料材料材料材料材料材料材料

GETTING THE IN
ON THE 2008

BY Dennis J. Currie

NO portion of the computer for the community center with things like the keyboard or the printer. We have sent the controller from the union the statement.

1. **Section 1.1**
 2. **Section 1.2**
 3. **Section 1.3**
 4. **Section 1.4**
 5. **Section 1.5**
 6. **Section 1.6**
 7. **Section 1.7**
 8. **Section 1.8**
 9. **Section 1.9**
 10. **Section 1.10**
 11. **Section 1.11**
 12. **Section 1.12**
 13. **Section 1.13**
 14. **Section 1.14**
 15. **Section 1.15**
 16. **Section 1.16**
 17. **Section 1.17**
 18. **Section 1.18**
 19. **Section 1.19**
 20. **Section 1.20**
 21. **Section 1.21**
 22. **Section 1.22**
 23. **Section 1.23**
 24. **Section 1.24**
 25. **Section 1.25**
 26. **Section 1.26**
 27. **Section 1.27**
 28. **Section 1.28**
 29. **Section 1.29**
 30. **Section 1.30**
 31. **Section 1.31**
 32. **Section 1.32**
 33. **Section 1.33**
 34. **Section 1.34**
 35. **Section 1.35**
 36. **Section 1.36**
 37. **Section 1.37**
 38. **Section 1.38**
 39. **Section 1.39**
 40. **Section 1.40**
 41. **Section 1.41**
 42. **Section 1.42**
 43. **Section 1.43**
 44. **Section 1.44**
 45. **Section 1.45**
 46. **Section 1.46**
 47. **Section 1.47**
 48. **Section 1.48**
 49. **Section 1.49**
 50. **Section 1.50**
 51. **Section 1.51**
 52. **Section 1.52**
 53. **Section 1.53**
 54. **Section 1.54**
 55. **Section 1.55**
 56. **Section 1.56**
 57. **Section 1.57**
 58. **Section 1.58**
 59. **Section 1.59**
 60. **Section 1.60**
 61. **Section 1.61**
 62. **Section 1.62**
 63. **Section 1.63**
 64. **Section 1.64**
 65. **Section 1.65**
 66. **Section 1.66**
 67. **Section 1.67**
 68. **Section 1.68**
 69. **Section 1.69**
 70. **Section 1.70**
 71. **Section 1.71**
 72. **Section 1.72**
 73. **Section 1.73**
 74. **Section 1.74**
 75. **Section 1.75**
 76. **Section 1.76**
 77. **Section 1.77**
 78. **Section 1.78**
 79. **Section 1.79**
 80. **Section 1.80**
 81. **Section 1.81**
 82. **Section 1.82**
 83. **Section 1.83**
 84. **Section 1.84**
 85. **Section 1.85**
 86. **Section 1.86**
 87. **Section 1.87**
 88. **Section 1.88**
 89. **Section 1.89**
 90. **Section 1.90**
 91. **Section 1.91**
 92. **Section 1.92**
 93. **Section 1.93**
 94. **Section 1.94**
 95. **Section 1.95**
 96. **Section 1.96**
 97. **Section 1.97**
 98. **Section 1.98**
 99. **Section 1.99**
 100. **Section 1.100**

[illegible][illegible][illegible]

REPORT OF THE

[illegible][illegible]

*
*
*
*
*
*
*
*
*
*
*
*
*
*
*

EXTRACTED FROM:



LIST
10 IDLE DAY DRIVE
CENTERPORT, N.Y. 11721

TO:

LISTING